

Over 2,500 tools available!



Inch

BT40
CAT40 & CAT50
HSK-A40, 63 & 100
HSK-E40 & HSK-E50
HSK-F63
HSK-F80 (Makino MAG)
PSC-50 & 63
Straight Shank

All Tools
On SALE!

Metric

BT30, 40 & 50
CAT40 & CAT50
DIN-SK30, 40 & 50
HSK-A32, 40, 50, 63, 80, 100
HSK-E20, 25, 32, 40, 50, 63
HSK-F63
HSK-F80 (Makino MAG)
PSC-40, 50 & 63
ER Collet
Straight Shank



Scan QR Code to access all Rineck Catalogues
or visit: www.tysontool.com/ecat-rineck.htm

Your tool not listed? Call for Promo Pricing

Special Pricing Valid Until Nov. 28th 2025



RINECK Induktherm Rapid Shrink

Induction Shrink Technology in a few easy steps

Perfect shrinkage technology
and ergonomic design



Made in Germany

All units certified to CDN
600V Electrical Standards



 Induktherm

rapid shrink II VCS

+ elevator cool technology

Stand Alone Shrink Unit
with Cooling System

Coolant Units

- Heating times between
3 to 9 seconds
- Cooling times between
15 to 50 seconds
- Tools automatically
move up/down
into coolant tank

- 10kW / 600V Shrink Unit
- Suitable for Carbide and HSS tools
- Simple to operate and self contained
- Reliable and robust for years of operation
- Certified to CDN 600V Electrical Standards
- Also available as 480V for USA standard

Includes Adapters for:

- BT40, BT50
- CAT40, CAT50
- HSK-A63, HSK-A100
- PSC63

Capacity:

- Carbide 1/8" - 1.1/4"
3mm - 32mm
- HSS 1/4" - 1.1/4"
6mm - 32mm



Scan QR Code for Shrink Unit Brochure
or visit: tysonstool.com/ecat-induktherm.htm

 Induktherm

rapid shrink II VCS

Table Top Shrink Unit




Induktherm rapid shrink II VC

Performance	10kw
Measurements (MM)	W 680 x D 520 x H1600
Weight	130 kg
Power supply	600 volt
max. chuck length	400mm
Carbide-Shafts	Ø 3-32mm / 1/8" - 1.1/4"
HSS-Shafts	Ø 6-32mm / 1/4" - 1.1/4"

HSK-A63 ShrinkFit INCH

Series- 925Z

HSK-A63 ShrinkFit Chuck
Extra Slim Execution 3°



Product Order Number	d1	d2	A	l1	SPECIAL
925Z-A63-1/8-1.97	1/8	.28	2.99	1.97	298.12
925Z-A63-1/8-2.95			3.98	2.95	298.12
925Z-A63-1/8-3.94			4.96	3.94	314.68
925Z-A63-1/8-5.91			6.93	5.91	430.61
925Z-A63-3/16-1.97	3/16	.35	2.99	1.97	298.12
925Z-A63-3/16-2.95			3.98	2.95	298.12
925Z-A63-3/16-3.94			4.96	3.94	314.68
925Z-A63-3/16-5.91			6.93	5.91	430.61
925Z-A63-1/4-1.97	1/4	.39	2.99	1.97	256.71
925Z-A63-1/4-2.95			3.98	2.95	256.71
925Z-A63-1/4-3.94			4.96	3.94	273.27
925Z-A63-1/4-5.91			6.93	5.91	389.21
925Z-A63-1/4-7.87	5/16	.47	8.90	7.87	472.02
925Z-A63-5/16-1.97			2.99	1.97	256.71
925Z-A63-5/16-2.95			3.98	2.95	256.71
925Z-A63-5/16-3.94			4.96	3.94	273.27
925Z-A63-5/16-5.91	3/8	.55	6.93	5.91	389.21
925Z-A63-5/16-7.87			8.90	7.87	472.02
925Z-A63-3/8-1.97			2.99	1.97	256.71
925Z-A63-3/8-2.95			3.98	2.95	256.71
925Z-A63-3/8-3.94	3/8	.55	4.96	3.94	273.27
925Z-A63-3/8-5.91			6.93	5.91	389.21
925Z-A63-3/8-7.87			8.90	7.87	472.02


Coolant Tubes & Wrenches For HSK Tooling

TAPER HSK Arbour	Coolant Tube		Wrench	
	Order #	SPECIAL	Order #	SPECIAL
HSK-A32	951-A32	15.95	952-A32	54.27
HSK-A40	951-A40	15.95	952-A40	54.27
HSK-A50	951-A50	16.95	952-A50	54.27
HSK-A63	951-A63	17.95	952-A63	56.54
HSK-A80	951-A80	18.95	952-A80	74.63
HSK-A100	951-A100	19.95	952-A100	79.29

HSK-A63 ShrinkFit INCH

Series- 915Z

HSK-A63 ShrinkFit Chuck
Slim Execution 3°




Product Order Number	d1	d2	A	l1	SPECIAL
915Z-A63-1/8-2.95	1/8	.43	3.98	2.95	264.99
915Z-A63-1/8-3.94			4.96	3.94	281.56
915Z-A63-1/8-5.91			6.93	5.91	380.93
915Z-A63-1/8-7.87			8.90	7.87	463.73
915Z-A63-3/16-2.95	3/16	.51	3.98	2.95	264.99
915Z-A63-3/16-3.94			4.96	3.94	281.56
915Z-A63-3/16-5.91			6.93	5.91	380.93
915Z-A63-3/16-7.87			8.90	7.87	463.73
915Z-A63-1/4-2.95	1/4	.59	3.98	2.95	223.59
915Z-A63-1/4-3.94			4.96	3.94	235.18
915Z-A63-1/4-5.91			6.93	5.91	339.52
915Z-A63-1/4-7.87			8.90	7.87	422.33
915Z-A63-1/4-9.84	5/16	.67	10.87	9.84	480.30
915Z-A63-1/4-11.81			12.83	11.81	563.11
915Z-A63-5/16-2.95			3.98	2.95	223.59
915Z-A63-5/16-3.94			4.96	3.94	235.18
915Z-A63-5/16-5.91	3/8	.75	6.93	5.91	339.52
915Z-A63-5/16-7.87			8.90	7.87	422.33
915Z-A63-5/16-9.84			10.87	9.84	480.30
915Z-A63-5/16-11.81			12.83	11.81	563.11
915Z-A63-3/8-2.95	7/16	.87	3.98	2.95	223.59
915Z-A63-3/8-3.94			4.96	3.94	235.18
915Z-A63-3/8-5.91			6.93	5.91	339.52
915Z-A63-3/8-7.87			8.90	7.87	422.33
915Z-A63-3/8-9.84	1/2	.87	10.87	9.84	480.30
915Z-A63-3/8-11.81			12.83	11.81	563.11
915Z-A63-7/16-2.95			3.98	2.95	223.59
915Z-A63-7/16-3.94			4.96	3.94	235.18
915Z-A63-7/16-5.91	1/2	.87	6.93	5.91	339.52
915Z-A63-7/16-7.87			8.90	7.87	422.33
915Z-A63-1/2-2.95			3.98	2.95	223.59
915Z-A63-1/2-3.94			4.96	3.94	235.18
915Z-A63-1/2-5.91	1/2	.87	6.93	5.91	339.52
915Z-A63-1/2-7.87			8.90	7.87	422.33

HSK-A63 ShrinkFit INCH

Series- 985Z

HSK-A63 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985Z-A63-1/8-A3.15	1/8	.43	3.15	2.13	256.71
985Z-A63-1/8-A4.72			4.72	3.70	281.56
985Z-A63-3/16-A3.15	3/16	.55	3.15	2.13	256.71
985Z-A63-3/16-A4.72			4.72	3.70	281.56
985Z-A63-1/4-A3.15	1/4	.83	3.15	2.13	215.30
985Z-A63-1/4-A4.72			4.72	3.70	235.18
985Z-A63-1/4-A5.12			5.12	4.09	249.63
985Z-A63-1/4-A6.30			6.30	5.28	322.96
985Z-A63-5/16-A3.15	5/16	.83	3.15	2.13	215.30
985Z-A63-5/16-A4.72			4.72	3.70	235.18
985Z-A63-5/16-A5.12			5.12	4.09	249.63
985Z-A63-5/16-A6.30			6.30	5.28	322.96
985Z-A63-3/8-A3.35	3/8	.94	3.35	2.32	215.30
985Z-A63-3/8-A4.72			4.72	3.70	235.18
985Z-A63-3/8-A5.12			5.12	4.09	249.63
985Z-A63-3/8-A6.30			6.30	5.28	322.96
985Z-A63-1/2-A3.54	1/2	.94	3.54	2.52	215.30
985Z-A63-1/2-A4.72			4.72	3.70	235.18
985Z-A63-1/2-A5.12			5.12	4.09	249.63
985Z-A63-1/2-A6.30			6.30	5.28	322.96
985Z-A63-5/8-A3.74	5/8	1.06	3.74	2.72	215.30
985Z-A63-5/8-A4.72			4.72	3.70	235.18
985Z-A63-5/8-A5.12			5.12	4.09	249.63
985Z-A63-5/8-A6.30			6.30	5.28	322.96
985Z-A63-3/4-A3.94	3/4	1.30	3.94	2.91	223.59
985Z-A63-3/4-A4.72			4.72	3.70	235.18
985Z-A63-3/4-A5.12			5.12	4.09	249.63
985Z-A63-3/4-A6.30			6.30	5.28	322.96
985Z-A63-1-A4.53	1	1.73	4.53	3.50	235.18
985Z-A63-1-A6.30			6.30	5.28	322.96
985Z-A63-1-A7.87			7.87	6.85	380.93
985Z-A63-1.1/4-A4.72	1.1/4	1.73	4.72	3.70	235.18
985Z-A63-1.1/4-A6.30			6.30	5.28	322.96

240 Metric and 150 Inch HSK-A63 ShrinkFit Tools Available


HSK-A63 ShrinkFit INCH

Series- 984Z

HSK-A63 ShrinkFit Chuck.
Standard Execution 4.5°
Tapered Extension
w/ Large Rad. Design
For Enhanced Rigidity



Product Order Number	d1	d2	A	l1	SPECIAL
984Z-A63-1/4-A6.30	1/4	.83	6.30	5.28	322.96
984Z-A63-1/4-A7.87			7.87	6.85	380.93
984Z-A63-5/16-A6.30	5/16	.83	6.30	5.28	322.96
984Z-A63-5/16-A7.87			7.87	6.85	380.93
984Z-A63-3/8-A6.30	3/8	.94	6.30	5.28	322.96
984Z-A63-3/8-A7.87			7.87	6.85	380.93
984Z-A63-1/2-A6.30	1/2	.94	6.30	5.28	322.96
984Z-A63-1/2-A7.87			7.87	6.85	380.93
984Z-A63-5/8-A6.30	5/8	1.06	6.30	5.28	322.96
984Z-A63-5/8-A7.87			7.87	6.85	380.93
984Z-A63-3/4-A6.30	3/4	1.30	6.30	5.28	322.96
984Z-A63-3/4-A7.87			7.87	6.85	380.93



HSK-A63 ShrinkFit Chuck
Slim Execution 3°
w/3 Cooling Jets Ø 1mm


Series- 996Z

Product Order Number	d1	d2	A	l1	SPECIAL
996Z-A63-1/8-2.95	1/8	.43	3.98	2.95	364.37
996Z-A63-1/8-3.94			4.96	3.94	380.93
996Z-A63-3/16-2.95	3/16	.51	3.98	2.95	364.37
996Z-A63-3/16-3.94			4.96	3.94	380.93
996Z-A63-1/4-2.95	1/4	.59	3.98	2.95	314.68
996Z-A63-1/4-3.94			4.96	3.94	331.24
996Z-A63-1/4-5.91			6.93	5.91	438.89
996Z-A63-5/16-1.97	5/16	.67	2.99	1.97	314.68
996Z-A63-5/16-2.95			3.98	2.95	314.68
996Z-A63-5/16-3.94			4.96	3.94	331.24
996Z-A63-5/16-5.91	3/8	.75	6.93	5.91	438.89
996Z-A63-3/8-1.97			2.99	1.97	314.68
996Z-A63-3/8-2.95			3.98	2.95	314.68
996Z-A63-3/8-3.94	7/16	.87	4.96	3.94	331.24
996Z-A63-3/8-5.91			6.93	5.91	438.89
996Z-A63-7/16-1.97			2.99	1.97	314.68
996Z-A63-7/16-2.95	7/16	.87	3.98	2.95	314.68
996Z-A63-7/16-3.94			4.96	3.94	331.24
996Z-A63-7/16-5.91			6.93	5.91	438.89

HSK-A63 ShrinkFit INCH

Series- 995Z

HSK-A63 ShrinkFit Chuck
Standard Execution 4.5°
w/Closable Cooling Jets
w/Length Adjusting Screw



Product Order Number	d1	d2	A	l1	SPECIAL
995Z-A63-1/8-A3.15	1/8	.43	3.15	2.13	306.40
995Z-A63-1/8-A4.72			4.72	3.70	331.24
995Z-A63-3/16-A3.15	3/16	.55	3.15	2.13	306.40
995Z-A63-3/16-A4.72			4.72	3.70	331.24
995Z-A63-1/4-A3.15	1/4	.83	3.15	2.13	264.99
995Z-A63-1/4-A4.72			4.72	3.70	284.87
995Z-A63-1/4-A5.12			5.12	4.09	299.31
995Z-A63-1/4-A6.30			6.30	5.28	372.65
995Z-A63-5/16-A3.15	5/16	.83	3.15	2.13	264.99
995Z-A63-5/16-A4.72			4.72	3.70	284.87
995Z-A63-5/16-A5.12			5.12	4.09	299.31
995Z-A63-5/16-A6.30	3/8	.94	6.30	5.28	372.65
995Z-A63-3/8-A3.35			3.35	2.32	264.99
995Z-A63-3/8-A4.72			4.72	3.70	284.87
995Z-A63-3/8-A5.12	1/2	.94	5.12	4.09	299.31
995Z-A63-3/8-A6.30			6.30	5.28	372.65
995Z-A63-1/2-A3.54			3.54	2.52	264.99
995Z-A63-1/2-A4.72	5/8	1.06	4.72	3.70	284.87
995Z-A63-1/2-A5.12			5.12	4.09	299.31
995Z-A63-1/2-A6.30			6.30	5.28	372.65
995Z-A63-5/8-A3.74	3/4	1.30	3.74	2.72	264.99
995Z-A63-5/8-A4.72			4.72	3.70	284.87
995Z-A63-5/8-A5.12			5.12	4.09	299.31
995Z-A63-5/8-A6.30	1	1.73	6.30	5.28	372.65
995Z-A63-3/4-A3.94			3.94	2.91	264.99
995Z-A63-3/4-A4.72			4.72	3.70	284.87
995Z-A63-3/4-A5.12	1	1.73	5.12	4.09	299.31
995Z-A63-3/4-A6.30			6.30	5.28	372.65
995Z-A63-1-A4.53			4.53	3.50	299.78


Coolant Tubes & Wrenches For HSK Tooling

TAPER HSK Arbour	Coolant Tube		Wrench	
	Order #	SPECIAL	Order #	SPECIAL
HSK-A32	951-A32	15.95	952-A32	54.27
HSK-A40	951-A40	15.95	952-A40	54.27
HSK-A50	951-A50	16.95	952-A50	54.27
HSK-A63	951-A63	17.95	952-A63	56.54
HSK-A80	951-A80	18.95	952-A80	74.63
HSK-A100	951-A100	19.95	952-A100	79.29

HSK-A63 ShrinkFit METRIC

Series- 925

HSK-A63 ShrinkFit Chuck
Extra Slim Execution 3°




Product Order Number	d1	d2	A	l1	SPECIAL
925-A630350	3	7	76	50	298.12
925-A630375			101	75	298.12
925-A6303100			126	100	314.68
925-A6303150	4	8	176	150	430.61
925-A630450			76	50	298.12
925-A630475			101	75	298.12
925-A6304100			126	100	314.68
925-A6304150	6	10	176	150	430.61
925-A630650			76	50	256.71
925-A630675			101	75	256.71
925-A6306100			126	100	273.27
925-A6306125			151	125	364.37
925-A6306150	8	12	176	150	389.21
925-A6306200			226	200	472.02
925-A6306250			276	250	546.55
925-A6306300	10	14	326	300	629.36
925-A630850			76	50	256.71
925-A630875			101	75	256.71
925-A6308100			126	100	273.27
925-A6308150	12	16	176	150	389.21
925-A6308200			226	200	472.02
925-A6308250			276	250	546.55
925-A6308300	14	18	326	300	629.36
925-A631050			76	50	256.71
925-A631075			101	75	256.71
925-A6310100	16	20	126	100	273.27
925-A6310150			176	150	389.21
925-A6310200			226	200	472.02
925-A6310250	18	22	276	250	546.55
925-A6310300			326	300	629.36
925-A631275			101	75	256.71
925-A6312100	20	24	126	100	273.27
925-A6312150			176	150	389.21
925-A6312200			226	200	472.02

HSK-A63 ShrinkFit METRIC

Series- 915

HSK-A63 ShrinkFit Chuck
Slim Execution 3°



Product Order Number	d1	d2	A	l1	SPECIAL
915-A630350	3	11	76	50	256.71
915-A630375			101	75	264.99
915-A6303100			126	100	281.56
915-A6303150			176	150	380.93
915-A6303200			226	200	463.73
915-A6303300			326	300	604.52
915-A630450	4	11	76	50	256.71
915-A630475			101	75	264.99
915-A6304100			126	100	281.56
915-A6304150			176	150	380.93
915-A6304200			226	200	463.73
915-A6304300			326	300	604.52
915-A630550	5	13	76	50	256.71
915-A630575			101	75	264.99
915-A6305100			126	100	281.56
915-A6305150			176	150	380.93
915-A6305200			226	200	463.73
915-A630650	6	15	76	50	215.30
915-A630675			101	75	223.59
915-A6306100			126	100	235.18
915-A6306125			151	125	314.68
915-A6306150			176	150	339.52
915-A6306175			201	175	380.93
915-A6306200			226	200	422.33
915-A6306250			276	250	480.30
915-A6306300			326	300	563.11
915-A6306350			376	350	687.32
915-A630850	8	17	76	50	215.30
915-A630875			101	75	223.59
915-A6308100			126	100	235.18
915-A6308125			151	125	314.68
915-A6308150			176	150	339.52
915-A6308175			201	175	380.93
915-A6308200			226	200	422.33
915-A6308250			276	250	480.30
915-A6308300			326	300	563.11
915-A6308350			376	350	687.32

Series- 915
...continued


HSK-A63 ShrinkFit Chuck
Slim Execution 3°

Product Order Number	d1	d2	A	l1	SPECIAL
915-A631050	10	19	76	50	215.30
915-A631075			101	75	223.59
915-A6310100			126	100	235.18
915-A6310125			151	125	314.68
915-A6310150			176	150	339.52
915-A6310175			201	175	380.93
915-A6310200			226	200	422.33
915-A6310250	12	22	276	250	480.30
915-A6310300			326	300	563.11
915-A6310350			376	350	687.32
915-A631250			76	50	215.30
915-A631275			101	75	223.59
915-A6312100			126	100	235.18
915-A6312125			151	125	314.68
915-A6312150			176	150	339.52
915-A6312175			201	175	380.93
915-A6312200			226	200	422.33
915-A6312250	14	24	276	250	480.30
915-A6312300			326	300	563.11
915-A6312350			376	350	687.32
915-A631450			76	50	248.43
915-A6314100			126	100	273.27
915-A6314150			176	150	339.52
915-A6314200			226	200	422.33
915-A6314250	16	27	276	250	480.30
915-A6314300			326	300	563.11
915-A6314350			376	350	687.32
915-A631660			86	60	223.59
915-A631675			101	75	223.59
915-A6316100			126	100	235.18
915-A6316150			176	150	339.52
915-A6316200	18	30	226	200	422.33
915-A6316250			276	250	480.30
915-A6316300			326	300	563.11
915-A6316350			376	350	687.32
915-A631865			91	65	256.71
915-A6318100			126	100	273.27
915-A632065			91	65	223.59
915-A632075	20	33	101	75	223.59
915-A6320100			126	100	235.18
915-A6320125			151	125	314.68
915-A6320150			176	150	339.52
915-A6320200			226	200	422.33
915-A6320250			276	250	480.30
915-A6320300			326	300	563.11

HSK-A63 ShrinkFit METRIC

Series- 995

HSK-A63 ShrinkFit Chuck
Standard Execution 4.5°
w/Closable Cooling Jets
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
995-A6303A80	3	11	80	54	306.40
995-A6303A120			120	94	331.24
995-A6303A160			160	134	414.05
995-A6304A80	4	14	80	54	306.40
995-A6304A120			120	94	331.24
995-A6304A160			160	134	414.05
995-A6305A80	5	16	80	54	306.40
995-A6305A120			120	94	331.24
995-A6305A160			160	134	414.05
995-A6306A80	6	21	80	54	264.99
995-A6306A120			120	94	284.87
995-A6306A160			160	134	372.65
995-A6308A80	8	21	80	54	264.99
995-A6308A120			120	94	284.87
995-A6308A160			160	134	372.65
995-A6310A85	10	24	85	59	264.99
995-A6310A120			120	94	284.87
995-A6310A160			160	134	372.65
995-A6312A90	12	24	90	64	273.27
995-A6312A120			120	94	284.87
995-A6312A160			160	134	372.65
995-A6314A90	14	27	90	64	273.27
995-A6314A120			120	94	284.87
995-A6316A95	16	27	95	69	273.27
995-A6316A120			120	94	284.87
995-A6318A95	18	33	95	69	273.27
995-A6318A120			120	94	284.87
995-A6320A100	20	33	100	74	273.27
995-A6320A120			120	94	284.87
995-A6325A115	25	44	115	89	299.78
995-A6332A120	32	44	120	94	299.78

240 Metric and 150 Inch HSK-A63
ShrinkFit Tools Available

HSK-A63 ShrinkFit METRIC

Series- 996

HSK-A63 ShrinkFit Chuck
Slim Execution 3°
w/3 Cooling Jets Ø 1mm




Product Order Number	d1	d2	A	l1	SPECIAL
996-A630350	3	11	76	50	356.09
996-A630375			101	75	364.37
996-A6303100			126	100	380.93
996-A630450	4	11	76	50	356.09
996-A630475			101	75	364.37
996-A6304100			126	100	380.93
996-A6304150			176	150	480.30
996-A6304200			226	200	563.11
996-A6304300			326	300	703.88
996-A630575	5	13	101	75	364.37
996-A6305100			126	100	380.93
996-A6305150			176	150	480.30
996-A630650	6	15	76	50	314.68
996-A630675			101	75	314.68
996-A6306100			126	100	331.24
996-A6306125			151	125	414.05
996-A6306150			176	150	438.89
996-A6306200			226	200	521.70
996-A630850	8	17	76	50	314.68
996-A630875			101	75	314.68
996-A6308100			126	100	331.24
996-A6308125			151	125	414.05
996-A6308150			176	150	438.89
996-A6308200			226	200	521.70
996-A631050	10	19	76	50	314.68
996-A631075			101	75	314.68
996-A6310100			126	100	331.24
996-A6310125			151	125	414.05
996-A6310150			176	150	438.89
996-A6310200			226	200	521.70
996-A631250	12	22	76	50	314.68
996-A631275			101	75	314.68
996-A6312100			126	100	331.24
996-A6312125			151	125	414.05
996-A6312150			176	150	438.89
996-A6312200			226	200	521.70

HSK-A63 ShrinkFit METRIC

Series- 985

HSK-A63 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985-A6303A80	3	11	80	54	256.71
985-A6303A120			120	94	281.56
985-A6303A160			160	134	364.37
985-A6304A80	4	14	80	54	256.71
985-A6304A120			120	94	281.56
985-A6304A160			160	134	364.37
985-A6305A80	5	16	80	54	256.71
985-A6305A120			120	94	281.56
985-A6305A160			160	134	364.37
985-A6306A70	6	21	70	44	215.30
985-A6306A80			80	54	215.30
985-A6306A120			120	94	235.18
985-A6306A160			160	134	322.96
985-A6306A200			200	174	380.93
985-A6307A80	7	21	80	54	289.84
985-A6308A70	8	21	70	44	215.30
985-A6308A80			80	54	215.30
985-A6308A120			120	94	235.18
985-A6308A160			160	134	322.96
985-A6308A200	9	24	200	174	380.93
985-A6309A85			85	59	289.84
985-A6310A70			70	44	215.30
985-A6310A85	10	24	85	59	215.30
985-A6310A120			120	94	235.18
985-A6310A160			160	134	322.96
985-A6310A200	11	24	200	174	380.93
985-A6311A90			90	64	289.84
985-A6312A70			70	44	215.30
985-A6312A90	12	24	90	64	215.30
985-A6312A120			120	94	235.18
985-A6312A160			160	134	322.96
985-A6312A200			200	174	380.93
985-A6313A90	13	27	90	64	289.84

HSK-A63 ShrinkFit METRIC

Series- 985

HSK-A63 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985-A6314A75	14	27	75	49	215.30
985-A6314A90			90	64	215.30
985-A6314A120			120	94	235.18
985-A6314A160			160	134	322.96
985-A6315A95	15	27	95	69	289.84
985-A6316A75	16	27	75	49	215.30
985-A6316A95			95	69	215.30
985-A6316A120			120	94	235.18
985-A6316A160			160	134	322.96
985-A6316A200	18	33	200	174	380.93
985-A6318A95			95	69	215.30
985-A6318A120			120	94	235.18
985-A6318A160			160	134	322.96
985-A6320A100	20	33	100	74	223.59
985-A6320A120			120	94	235.18
985-A6320A160			160	134	322.96
985-A6320A200			200	174	380.93
985-A6322A100	22	33	100	74	289.84
985-A6325A115	25	44	115	89	235.18
985-A6325A160			160	134	322.96
985-A6325A200			200	174	380.93
985-A6332A120	32	44	120	94	235.18
985-A6332A160			160	134	322.96

240 Metric and 150 Inch HSK-A63
ShrinkFit Tools Available

HSK-A100 ShrinkFit INCH

Series- 915Z

HSK-A100 ShrinkFit Chuck
Slim Execution 3°



Product Order Number	d1	d2	A	l1	SPECIAL
915Z-A100-3/16-2.95	3/16	.51	4.10	2.95	379.01
915Z-A100-3/16-3.94			5.08	3.94	404.85
915Z-A100-3/16-5.91			7.05	5.91	473.76
915Z-A100-3/16-7.87			9.02	7.87	577.13
915Z-A100-1/4-2.95	1/4	.59	4.10	2.95	353.17
915Z-A100-1/4-3.94			5.08	3.94	379.01
915Z-A100-1/4-5.91			7.05	5.91	439.31
915Z-A100-1/4-7.87			9.02	7.87	525.44
915Z-A100-5/16-2.95	5/16	.67	4.10	2.95	353.17
915Z-A100-5/16-3.94			5.08	3.94	379.01
915Z-A100-5/16-5.91			7.05	5.91	439.31
915Z-A100-5/16-7.87			9.02	7.87	525.44
915Z-A100-3/8-2.95	3/8	.75	4.10	2.95	353.17
915Z-A100-3/8-3.94			5.08	3.94	379.01
915Z-A100-3/8-5.91			7.05	5.91	439.31
915Z-A100-3/8-7.87			9.02	7.87	525.44
915Z-A100-1/2-2.95	1/2	.87	4.10	2.95	353.17
915Z-A100-1/2-3.94			5.08	3.94	379.01
915Z-A100-1/2-5.91			7.05	5.91	439.31
915Z-A100-1/2-7.87			9.02	7.87	525.44


Coolant Tubes & Wrenches For HSK Tooling

TAPER HSK Arbour	Coolant Tube		Wrench	
	Order #	SPECIAL	Order #	SPECIAL
HSK-A32	951-A32	15.95	952-A32	54.27
HSK-A40	951-A40	15.95	952-A40	54.27
HSK-A50	951-A50	16.95	952-A50	54.27
HSK-A63	951-A63	17.95	952-A63	56.54
HSK-A80	951-A80	18.95	952-A80	74.63
HSK-A100	951-A100	19.95	952-A100	79.29

HSK-A100 ShrinkFit INCH

Series- 985Z

HSK-A100 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985Z-A100-1/4-A3.35	1/4	.83	3.35	2.20	327.32
985Z-A100-1/4-A4.72			4.72	3.58	370.40
985Z-A100-1/4-A6.30			6.30	5.16	404.85
985Z-A100-1/4-A7.87			7.87	6.73	465.15
985Z-A100-5/16-A3.35	5/16	.83	3.35	2.20	327.32
985Z-A100-5/16-A4.72			4.72	3.58	370.40
985Z-A100-5/16-A6.30			6.30	5.16	404.85
985Z-A100-5/16-A7.87			7.87	6.73	465.15
985Z-A100-3/8-A3.54	3/8	.94	3.54	2.40	327.32
985Z-A100-3/8-A4.72			4.72	3.58	370.40
985Z-A100-3/8-A6.30			6.30	5.16	404.85
985Z-A100-3/8-A7.87			7.87	6.73	465.15
985Z-A100-1/2-A3.74	1/2	.94	3.74	2.60	327.32
985Z-A100-1/2-A4.72			4.72	3.58	370.40
985Z-A100-1/2-A6.30			6.30	5.16	404.85
985Z-A100-1/2-A7.87			7.87	6.73	465.15
985Z-A100-5/8-A3.94	5/8	1.06	3.94	2.80	327.32
985Z-A100-5/8-A4.72			4.72	3.58	370.40
985Z-A100-5/8-A6.30			6.30	5.16	404.85
985Z-A100-5/8-A7.87			7.87	6.73	465.15
985Z-A100-3/4-A4.13	3/4	1.30	4.13	2.99	327.32
985Z-A100-3/4-A4.72			4.72	3.58	370.40
985Z-A100-3/4-A6.30			6.30	5.16	404.85
985Z-A100-3/4-A7.87			7.87	6.73	465.15
985Z-A100-1-A4.53	1	1.73	4.53	3.39	370.40
985Z-A100-1-A6.30			6.30	5.16	404.85
985Z-A100-1-A7.87			7.87	6.73	465.15
985Z-A100-1.1/4-A4.72	1.1/4	1.73	4.72	3.58	370.40
985Z-A100-1.1/4-A6.30			6.30	5.16	404.85

HSK-A100 ShrinkFit INCH

Series- 984Z

HSK-A100 ShrinkFit Chuck
Standard 4.5°
Tapered Extension
w/Large Rad. Design
For Enhanced Rigidity




Product Order Number	d1	d2	A	l1	SPECIAL
984Z-A100-1/4-A5.12	1/4	.83	5.12	3.98	387.21
984Z-A100-1/4-A6.30			6.30	5.16	404.85
984Z-A100-1/4-A7.87			7.87	6.73	465.15
984Z-A100-1/4-A9.84			9.84	8.70	577.13
984Z-A100-5/16-A5.12	5/16	.83	5.12	3.98	387.21
984Z-A100-5/16-A6.30			6.30	5.16	404.85
984Z-A100-5/16-A7.87			7.87	6.73	465.15
984Z-A100-5/16-A9.84			9.84	8.70	577.13
984Z-A100-3/8-A5.12	3/8	.94	5.12	3.98	387.21
984Z-A100-3/8-A6.30			6.30	5.16	404.85
984Z-A100-3/8-A7.87			7.87	6.73	465.15
984Z-A100-3/8-A9.84			9.84	8.70	577.13
984Z-A100-1/2-A5.12	1/2	.94	5.12	3.98	387.21
984Z-A100-1/2-A6.30			6.30	5.16	404.85
984Z-A100-1/2-A7.87			7.87	6.73	465.15
984Z-A100-1/2-A9.84			9.84	8.70	577.13
984Z-A100-5/8-A5.12	5/8	1.06	5.12	3.98	387.21
984Z-A100-5/8-A6.30			6.30	5.16	404.85
984Z-A100-5/8-A7.87			7.87	6.73	465.15
984Z-A100-5/8-A9.84			9.84	8.70	577.13
984Z-A100-3/4-A5.12	3/4	1.30	5.12	3.98	387.21
984Z-A100-3/4-A6.30			6.30	5.16	404.85
984Z-A100-3/4-A7.87			7.87	6.73	465.15
984Z-A100-3/4-A9.84			9.84	8.70	577.13
984Z-A100-1-A5.12	1	1.73	5.12	3.98	387.21
984Z-A100-1-A6.30			6.30	5.16	404.85
984Z-A100-1-A7.87			7.87	6.73	465.15

180 Metric and 103 Inch HSK-A100 ShrinkFit Tools Available

HSK-A100 ShrinkFit INCH

Series- 995Z

HSK-A100 ShrinkFit Chuck
Standard Execution 4.5°
w/Closable Cooling Jets
and Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
995Z-A100-1/4-A3.35	1/4	.83	3.35	2.20	396.23
995Z-A100-1/4-A4.72			4.72	3.58	439.31
995Z-A100-1/4-A6.30			6.30	5.16	473.76
995Z-A100-1/4-A7.87			7.87	6.73	534.06
995Z-A100-5/16-A3.35	5/16	.83	3.35	2.20	396.23
995Z-A100-5/16-A4.72			4.72	3.58	439.31
995Z-A100-5/16-A6.30			6.30	5.16	473.76
995Z-A100-5/16-A7.87			7.87	6.73	534.06
995Z-A100-3/8-A3.54	3/8	.94	3.54	2.40	396.23
995Z-A100-3/8-A4.72			4.72	3.58	439.31
995Z-A100-3/8-A6.30			6.30	5.16	473.76
995Z-A100-3/8-A7.87			7.87	6.73	534.06
995Z-A100-1/2-A3.74	1/2	.94	3.74	2.60	396.23
995Z-A100-1/2-A4.72			4.72	3.58	439.31
995Z-A100-1/2-A6.30			6.30	5.16	473.76
995Z-A100-1/2-A7.87			7.87	6.73	534.06
995Z-A100-5/8-A3.94	5/8	1.06	3.94	2.80	396.23
995Z-A100-5/8-A4.72			4.72	3.58	439.31
995Z-A100-5/8-A6.30			6.30	5.16	473.76
995Z-A100-5/8-A7.87			7.87	6.73	534.06
995Z-A100-3/4-A4.13	3/4	1.30	4.13	2.99	396.23
995Z-A100-3/4-A4.72			4.72	3.58	439.31
995Z-A100-3/4-A6.30			6.30	5.16	473.76
995Z-A100-3/4-A7.87			7.87	6.73	534.06
995Z-A100-1-A4.53	1	1.73	4.53	3.39	439.31
995Z-A100-1-A6.30			6.30	5.16	473.76
995Z-A100-1-A7.87			7.87	6.73	534.06

HSK-A100 ShrinkFit METRIC

Series- 985

HSK-A100 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985-A10003A120	3	11	120	91	422.08
985-A10004A85	4	14	85	56	379.01
985-A10004A120			120	91	422.08
985-A10005A85	5	16	85	56	379.01
985-A10006A85	6	21	85	56	327.32
985-A10006A120			120	91	370.40
985-A10006A160			160	131	404.85
985-A10006A200			200	171	465.15
985-A10006A250	7	21	250	221	577.13
985-A10007A120			120	91	465.15
985-A10008A85	8	21	85	56	327.32
985-A10008A120			120	91	370.40
985-A10008A160			160	131	404.85
985-A10008A200			200	171	465.15
985-A10008A250	9	24	250	221	577.13
985-A10009A120			120	91	465.15
985-A10010A90	10	24	90	61	327.32
985-A10010A120			120	91	370.40
985-A10010A160			160	131	404.85
985-A10010A200			200	171	465.15
985-A10010A250	11	24	250	221	577.13
985-A10011A120			120	91	465.15
985-A10012A95	12	24	95	66	327.32
985-A10012A120			120	91	370.40
985-A10012A160			160	131	404.85
985-A10012A200			200	171	465.15
985-A10012A250	13	27	250	221	577.13
985-A10013A120			120	91	465.15
985-A10014A95	14	27	95	66	327.32
985-A10014A120			120	91	370.40
985-A10014A160			160	131	404.85
985-A10014A200			200	171	465.15
985-A10014A250	15	27	250	221	577.13
985-A10015A100			100	71	465.15

HSK-A100 ShrinkFit METRIC

Series- 985


HSK-A100 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw



Product Order Number	d1	d2	A	l1	SPECIAL
985-A10016A100	16	27	100	71	344.55
985-A10016A120			120	91	370.40
985-A10016A160			160	131	404.85
985-A10016A200			200	171	465.15
985-A10016A250	18	33	250	221	577.13
985-A10018A100			100	71	344.55
985-A10018A120			120	91	370.40
985-A10018A160			160	131	404.85
985-A10018A200	20	33	200	171	465.15
985-A10018A250			250	221	577.13
985-A10020A105	25	44	105	76	344.55
985-A10020A120			120	91	370.40
985-A10020A160			160	131	404.85
985-A10020A200			200	171	465.15
985-A10020A250	32	44	250	221	577.13
985-A10025A115			115	86	370.40
985-A10025A160			160	131	404.85
985-A10025A200			200	171	465.15
985-A10032A120	32	44	120	91	370.40
985-A10032A160			160	131	404.85

Series- 985

HSK-A100 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adj. Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985-A10006A329S	6	21	329	300	938.91
985-A10008A329S	8	21	329	300	938.91
985-A10010A329S	10	24	329	300	938.91
985-A10012A329S	12	24	329	300	938.91
985-A10016A329S	16	27	329	300	938.91
985-A10020A329S	20	33	329	300	938.91
985-A10025A329S	25	44	329	300	938.91

180 Metric and 103 Inch HSK-A100
ShrinkFit Tools Available

HSK-A100 ShrinkFit METRIC

Series- 925

HSK-A100 ShrinkFit Chuck
Extra Slim Execution 3°




Product Order Number	d1	d2	A	l1	SPECIAL
925-A10004100	4	8	129	100	625.37
925-A10004150			179	150	685.66
925-A1000675	6	10	104	75	508.22
925-A10006100			129	100	551.29
925-A10006150			179	150	628.81
925-A10006200	8	12	229	200	758.02
925-A10008100			129	100	551.29
925-A10008150			179	150	628.81
925-A10008200	10	14	229	200	758.02
925-A10010100			129	100	551.29
925-A10010150			179	150	628.81
925-A10010200	12	16	229	200	758.02
925-A10012100			129	100	551.29
925-A10012150			179	150	628.81
925-A10012200			229	200	758.02

HSK-A100 ShrinkFit METRIC

Series- 996

HSK-A100 ShrinkFit Chuck
Slim Execution 3°
w/3 Cooling Jets Ø 1mm




Product Order Number	d1	d2	A	l1	SPECIAL
996-A10004100	4	11	129	100	525.44
996-A10004150			179	150	602.97
996-A10004200	6	15	229	200	697.72
996-A10006100			129	100	499.61
996-A10006150			179	150	559.90
996-A10006200	8	17	229	200	646.04
996-A10008100			129	100	499.61
996-A10008150			179	150	559.90
996-A10008200	10	19	229	200	646.04
996-A10010100			129	100	499.61
996-A10010150			179	150	559.90
996-A10010200			229	200	646.04

HSK-A100 ShrinkFit METRIC

Series- 995

HSK-A100 ShrinkFit Chuck
Standard Execution 4.5°
w/Closable Cooling Jets
w/Length Adjusting Screw



Product Order Number	d1	d2	A	l1	SPECIAL
995-A10006A85	6	21	85	56	396.23
995-A10006A120			120	91	439.31
995-A10006A160			160	131	473.76
995-A10006A200	8	21	200	171	534.06
995-A10008A85			85	56	396.23
995-A10008A120			120	91	439.31
995-A10008A160	10	24	160	131	473.76
995-A10008A200			200	171	534.06
995-A10010A90			90	61	396.23
995-A10010A120	12	24	120	91	439.31
995-A10010A160			160	131	473.76
995-A10010A200			200	171	534.06
995-A10012A95	14	27	95	66	396.23
995-A10012A120			120	91	439.31
995-A10012A160			160	131	473.76
995-A10012A200	16	27	200	171	534.06
995-A10014A95			95	66	396.23
995-A10014A120			120	91	439.31
995-A10014A160	18	33	160	131	473.76
995-A10014A200			200	171	534.06
995-A10016A100			100	71	396.23
995-A10016A120	20	33	120	91	439.31
995-A10016A160			160	131	473.76
995-A10016A200			200	171	534.06
995-A10018A100	25	44	100	71	439.31
995-A10018A160			160	131	473.76
995-A10020A120			120	91	439.31
995-A10020A160			160	131	473.76
995-A10020A200			200	171	534.06
995-A10025A115			115	86	439.31
995-A10025A160			160	131	473.76

Induktherm Rapid Shrink

Induction Unit 600 volt / 10kW
with Tool Elevator & Coolant Tank

CDN Certified ShrinkFit Units

- Heating times between 3 to 9 seconds
- Cooling times between 15 to 50 seconds
- Tool Capacity: Carbide 1/8" to 1.1/4"
HSS 1/4" to 1.1/4"


Induction Shrink Technology in a few easy steps



HSK-A100 ShrinkFit METRIC

Series- 915

HSK-A100 ShrinkFit Chuck
Slim Execution 3°




Product Order Number	d1	d2	A	l1	SPECIAL
915-A10003100	3	11	129	100	508.22
915-A10003150			179	150	577.13
915-A10003200			229	200	577.13
915-A1000450	4	11	79	50	353.17
915-A1000475			104	75	379.01
915-A10004100			129	100	404.85
915-A10004150			179	150	473.76
915-A10004200	5	13	229	200	577.13
915-A10005100			129	100	439.31
915-A10005150			179	150	473.76
915-A1000658	6	15	87	58	327.32
915-A1000675			104	75	353.17
915-A10006100			129	100	379.01
915-A10006150			179	150	439.31
915-A10006200			229	200	525.44
915-A10006300	8	17	329	300	835.54
915-A1000858			87	58	327.32
915-A1000875			104	75	353.17
915-A10008100			129	100	379.01
915-A10008150			179	150	439.31
915-A10008200			229	200	525.44
915-A10008300	10	19	329	300	835.54
915-A1001050			79	50	327.32
915-A1001075			104	75	353.17
915-A10010100			129	100	379.01
915-A10010150			179	150	439.31
915-A10010200	12	22	229	200	525.44
915-A10010300			329	300	835.54
915-A1001250			79	50	327.32
915-A1001275			104	75	353.17
915-A10012100			129	100	379.01
915-A10012150			179	150	439.31
915-A10012200			229	200	525.44
915-A10012300			329	300	835.54

HSK-A100 ShrinkFit METRIC

Series- 915

HSK-A100 ShrinkFit Chuck
Slim Execution 3°



Product Order Number	d1	d2	A	l1	SPECIAL
915-A1001450	14	24	79	50	327.32
915-A1001475			104	75	353.17
915-A10014100			129	100	379.01
915-A10014150			179	150	439.31
915-A10014200			229	200	525.44
915-A10014300	16	27	329	300	835.54
915-A1001660			89	60	353.17
915-A1001675			104	75	353.17
915-A10016100			129	100	379.01
915-A10016150	18	30	179	150	439.31
915-A10016200			229	200	525.44
915-A10016300			329	300	835.54
915-A1001865			94	65	353.17
915-A1001875			104	75	353.17
915-A10018100	20	33	129	100	379.01
915-A10018150			179	150	439.31
915-A10018200			229	200	525.44
915-A10018300			329	300	835.54
915-A1002065	25	44	94	65	353.17
915-A1002075			104	75	353.17
915-A10020100			129	100	379.01
915-A10020150			179	150	439.31
915-A10020200			229	200	525.44
915-A10020300			329	300	835.54
915-A1002575			104	75	353.17
915-A10025100			129	100	379.01
915-A10025150			179	150	439.31

Height Adjustment Tool

The ideal tool to set your cutter height when preparing your tool assemblies



Order Number	Range	SPECIAL
990-395	1/8 - 5/8	171.11
990-393	5/16 - 1.00	221.57

Coolant Tubes & Wrenches For HSK Tooling

TAPER HSK Arbor	Coolant Tube		Wrench	
	Order #	SPECIAL	Order #	SPECIAL
HSK-A32	951-A32	15.95	952-A32	54.27
HSK-A40	951-A40	15.95	952-A40	54.27
HSK-A50	951-A50	16.95	952-A50	54.27
HSK-A63	951-A63	17.95	952-A63	56.54
HSK-A80	951-A80	18.95	952-A80	74.63
HSK-A100	951-A100	19.95	952-A100	79.29

Induction Shrink Technology in a few easy steps

Tool Capacity:

- Carbide 1/8" - 1.1/4"
- HSS 1/4" - 1.1/4"

Certified to CDN
Electrical Standards




Induktherm Rapid Shrink

Induction Unit 600 volt / 10kW

CAT40 ShrinkFit INCH

Series- 945Z

CAT40 ShrinkFit Chuck
Slim Execution 3°




Product Order Number	d1	d2	A	l1	SPECIAL
945Z-CAT40-1/8-2.95	1/8	.43	3.70	2.95	239.11
945Z-CAT40-1/8-3.94			4.69	3.94	252.48
945Z-CAT40-1/8-5.91			6.66	5.91	359.50
945Z-CAT40-1/8-7.87			8.62	7.87	443.10
945Z-CAT40-3/16-2.95	3/16	.51	3.70	2.95	239.11
945Z-CAT40-3/16-3.94			4.69	3.94	252.48
945Z-CAT40-3/16-5.91			6.66	5.91	359.50
945Z-CAT40-1/4-2.95			3.70	2.95	205.67
945Z-CAT40-1/4-3.94	1/4	.59	4.69	3.94	219.05
945Z-CAT40-1/4-5.91			6.66	5.91	326.06
945Z-CAT40-1/4-7.87			8.62	7.87	409.66
945Z-CAT40-5/16-2.95			3.70	2.95	205.67
945Z-CAT40-5/16-3.94	5/16	.67	4.69	3.94	219.05
945Z-CAT40-5/16-5.91			6.66	5.91	326.06
945Z-CAT40-3/8-2.95			3.70	2.95	205.67
945Z-CAT40-3/8-3.94			4.69	3.94	219.05
945Z-CAT40-3/8-5.91	3/8	.75	6.66	5.91	326.06
945Z-CAT40-1/2-2.95			3.70	2.95	205.67
945Z-CAT40-1/2-3.94			4.69	3.94	219.05
945Z-CAT40-1/2-5.91			6.66	5.91	326.06

CAT40 ShrinkFit INCH

Series- 995Z

CAT40 ShrinkFit Chuck
Standard Execution 4.5°
w/Closable Cooling Jets
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
995Z-CAT40-1/8-A3.15	1/8	.43	3.15	2.40	282.58
995Z-CAT40-3/16-A3.15	3/16	.55	3.15	2.40	282.58
995Z-CAT40-1/4-A3.15	1/4	.83	3.15	2.40	240.77
995Z-CAT40-1/4-A4.72			4.72	3.97	262.52
995Z-CAT40-5/16-A3.15	5/16	.83	3.15	2.40	240.77
995Z-CAT40-5/16-A4.72			4.72	3.97	262.52
995Z-CAT40-3/8-A3.15	3/8	.94	3.15	2.40	240.77
995Z-CAT40-3/8-A4.72			4.72	3.97	262.52
995Z-CAT40-7/16-A3.15	7/16	.94	3.15	2.40	240.77
995Z-CAT40-7/16-A4.72			4.72	3.97	262.52
995Z-CAT40-1/2-A3.15	1/2	.94	3.15	2.40	240.77
995Z-CAT40-1/2-A4.72			4.72	3.97	262.52
995Z-CAT40-5/8-A3.15	5/8	1.06	3.15	2.40	240.77
995Z-CAT40-5/8-A4.72			4.72	3.97	262.52
995Z-CAT40-3/4-A3.15	3/4	1.30	3.15	2.40	240.77
995Z-CAT40-3/4-A4.72			4.72	3.97	262.52
995Z-CAT40-7/8-A3.15	7/8	1.30	3.15	2.40	240.77
995Z-CAT40-7/8-A4.72			4.72	3.97	262.52
995Z-CAT40-1-A3.94	1	1.73	3.94	3.19	262.52

CAT40 ShrinkFit INCH

Series- 925Z

CAT40 ShrinkFit Chuck
Extra Slim Execution - 3°



Product Order Number	d1	d2	A	l1	SPECIAL
925Z-CAT40-1/8-2.95	1/8	.28	3.70	2.95	284.25
925Z-CAT40-1/8-3.94			4.96	3.94	300.98
925Z-CAT40-3/16-2.95	3/16	.35	3.70	2.95	284.25
925Z-CAT40-3/16-3.94			4.96	3.94	300.98
925Z-CAT40-1/4-2.95	1/4	.39	3.70	2.95	242.45
925Z-CAT40-1/4-3.94			4.96	3.94	259.17
925Z-CAT40-5/16-2.95	5/16	.47	3.70	2.95	242.45
925Z-CAT40-5/16-3.94			4.96	3.94	259.17
925Z-CAT40-3/8-2.95	3/8	.55	3.70	2.95	242.45
925Z-CAT40-3/8-3.94			4.96	3.94	259.17

Height Adjustment Tool

The ideal tool to set your cutter
height when preparing your tool
assemblies




Order Number	Range	SPECIAL
990-395	1/8 - 5/8	187.46
990-393	5/16 - 1.00	221.57

21 Metric and 101 Inch
CAT40 ShrinkFit
Tools Available

Series- 996Z

CAT40 ShrinkFit Chuck
Slim Execution 3°
w/3 Cooling Jets Ø 1mm




Product Order Number	d1	d2	A	l1	SPECIAL
996Z-CAT40-1/8-2.95	1/8	.43	3.70	2.95	326.05
996Z-CAT40-1/8-3.94			4.69	3.94	342.77
996Z-CAT40-3/16-2.95	3/16	.51	3.70	2.95	326.05
996Z-CAT40-3/16-3.94			4.69	3.94	342.77
996Z-CAT40-1/4-2.95	1/4	.59	3.70	2.95	284.25
996Z-CAT40-1/4-3.94			4.69	3.94	300.97
996Z-CAT40-5/16-2.95	5/16	.67	3.70	2.95	284.25
996Z-CAT40-5/16-3.94			4.69	3.94	300.97
996Z-CAT40-3/8-2.95	3/8	.75	3.70	2.95	284.25
996Z-CAT40-3/8-3.94			4.69	3.94	300.97

CAT40 ShrinkFit INCH

Series- 985Z

CAT40 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985Z-CAT40-1/8-A3.15	1/8	.43	3.15	2.40	232.42
985Z-CAT40-1/8-A4.72			4.72	3.97	254.15
985Z-CAT40-3/16-A3.15	3/16	.55	3.15	2.40	232.42
985Z-CAT40-3/16-A4.72			4.72	3.97	254.15
985Z-CAT40-1/4-A3.15	1/4	.83	3.15	2.40	190.61
985Z-CAT40-1/4-A4.72			4.72	3.97	212.35
985Z-CAT40-1/4-A5.12			5.12	4.37	223.74
985Z-CAT40-1/4-A6.30			6.30	5.55	265.85
985Z-CAT40-5/16-A3.15	5/16	.83	3.15	2.40	190.61
985Z-CAT40-5/16-A4.72			4.72	3.97	212.35
985Z-CAT40-5/16-A5.12			5.12	4.37	223.74
985Z-CAT40-5/16-A6.30	3/8	.94	6.30	5.55	265.85
985Z-CAT40-3/8-A3.15			3.15	2.40	190.61
985Z-CAT40-3/8-A4.72			4.72	3.97	212.35
985Z-CAT40-3/8-A5.12			5.12	4.37	223.74
985Z-CAT40-3/8-A6.30	7/16	.94	6.30	5.55	265.85
985Z-CAT40-7/16-A3.15			3.15	2.40	190.61
985Z-CAT40-7/16-A4.72			4.72	3.97	212.35
985Z-CAT40-7/16-A5.12			5.12	4.37	223.74
985Z-CAT40-7/16-A6.30	1/2	.94	6.30	5.55	265.85
985Z-CAT40-1/2-A3.15			3.15	2.40	190.61
985Z-CAT40-1/2-A4.72			4.72	3.97	212.35
985Z-CAT40-1/2-A5.12			5.12	4.37	223.74
985Z-CAT40-1/2-A6.30			6.30	5.55	265.85

Need Metric tools?
We have over 1,950
Metric Tools Available

CAT40 ShrinkFit INCH

Series- 985Z

CAT40 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw



Product Order Number	d1	d2	A	l1	SPECIAL
985Z-CAT40-5/8-A3.15	5/8	1.06	3.15	2.40	190.61
985Z-CAT40-5/8-A4.72			4.72	3.97	212.35
985Z-CAT40-5/8-A5.12			5.12	4.37	223.74
985Z-CAT40-5/8-A6.30	3/4	1.30	6.30	5.55	265.85
985Z-CAT40-3/4-A3.15			3.15	2.40	190.61
985Z-CAT40-3/4-A4.72			4.72	3.97	212.35
985Z-CAT40-3/4-A5.12			5.12	4.37	223.74
985Z-CAT40-3/4-A6.30	7/8	1.30	6.30	5.55	265.85
985Z-CAT40-7/8-A3.15			3.15	2.40	190.61
985Z-CAT40-7/8-A4.72			4.72	3.97	212.35
985Z-CAT40-7/8-A6.30	1	1.73	6.30	5.55	265.85
985Z-CAT40-1-A3.94			3.94	3.19	200.65
985Z-CAT40-1-A4.72			4.72	3.66	212.35
985Z-CAT40-1-A5.12			5.12	4.37	223.74
985Z-CAT40-1-A6.30	1.1/4	1.73	6.30	5.55	265.85
985Z-CAT40-1.1/4-A3.94			3.94	3.19	200.65
985Z-CAT40-1.1/4-A4.72			4.72	3.66	212.35
985Z-CAT40-1.1/4-A6.30			6.30	5.55	265.85

Height Adjustment Tool

The ideal tool to set your cutter
height when preparing your tool
assemblies




Order Number	Range	SPECIAL
990-395	1/8 - 5/8	187.46
990-393	5/16 - 1.00	221.57

CAT40 ShrinkFit METRIC

Series- 985

CAT40 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985-CAT4006A80	6	21	80	60.9	190.61
985-CAT4006A120			120	100.9	212.36
985-CAT4006A130			130	110.9	223.74
985-CAT4008A80	8	21	80	60.9	190.61
985-CAT4008A120			120	100.9	212.35
985-CAT4008A130			130	110.9	223.74
985-CAT4010A80	10	24	80	60.9	190.61
985-CAT4010A120			120	100.9	212.35
985-CAT4010A130	12	24	130	110.9	223.74
985-CAT4012A80			80	60.9	190.61
985-CAT4012A120			120	100.9	212.35
985-CAT4012A130	16	27	130	110.9	223.74
985-CAT4016A80			80	60.9	190.61
985-CAT4016A120			120	100.9	212.35
985-CAT4016A130	20	33	130	110.9	223.74
985-CAT4020A80			80	60.9	190.61
985-CAT4020A120			120	100.9	212.35
985-CAT4020A130	25	44	130	110.9	223.74
985-CAT4025A100			100	80.9	200.65
985-CAT4025A130			130	110.9	223.74
985-CAT4032A100	32	44	100	80.9	200.65

21 Metric and 101 Inch
CAT40 ShrinkFit
Tools Available

CAT50 ShrinkFit INCH

Series- 985Z

CAT50 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985Z-CAT50-1/4-A3.15	1/4	.83	3.15	2.40	327.50
985Z-CAT50-1/4-A4.72			4.72	3.97	356.48
985Z-CAT50-1/4-A6.30			6.30	5.55	409.16
985Z-CAT50-1/4-A7.87			7.87	7.12	458.33
985Z-CAT50-5/16-A3.15	5/16	.83	3.15	2.40	327.50
985Z-CAT50-5/16-A4.72			4.72	3.97	356.48
985Z-CAT50-5/16-A6.30			6.30	5.55	409.16
985Z-CAT50-3/8-A3.15	3/8	.94	3.15	2.40	327.50
985Z-CAT50-3/8-A4.72			4.72	3.97	356.48
985Z-CAT50-3/8-A6.30			6.30	5.55	409.16
985Z-CAT50-3/8-A7.87			7.87	7.12	458.33
985Z-CAT50-1/2-A3.15	1/2	.94	3.15	2.40	327.50
985Z-CAT50-1/2-A4.72			4.72	3.97	356.48
985Z-CAT50-1/2-A6.30			6.30	5.55	409.16
985Z-CAT50-1/2-A7.87			7.87	7.12	458.33
985Z-CAT50-5/8-A3.15	5/8	1.06	3.15	2.40	327.50
985Z-CAT50-5/8-A4.72			4.72	3.97	356.48
985Z-CAT50-5/8-A6.30			6.30	5.55	409.16
985Z-CAT50-5/8-A7.87			7.87	7.12	458.33
985Z-CAT50-3/4-A3.15	3/4	1.30	3.15	2.40	327.50
985Z-CAT50-3/4-A4.72			4.72	3.97	356.48
985Z-CAT50-3/4-A6.30			6.30	5.55	409.16
985Z-CAT50-3/4-A7.87			7.87	7.12	458.33
985Z-CAT50-1-A3.94	1	1.73	3.94	3.19	338.92
985Z-CAT50-1-A4.72			4.72	3.97	356.48
985Z-CAT50-1-A6.30			6.30	5.55	409.16
985Z-CAT50-1.1/4-A3.94	1.1/4	1.73	3.94	3.19	338.92
985Z-CAT50-1.1/4-A4.72			4.72	3.97	356.48
985Z-CAT50-1.1/4-A6.30			6.30	5.55	409.16

CAT50 ShrinkFit INCH

Series- 984Z

CAT50 ShrinkFit Chuck Standard 4.5°
Tapered Extension w/Large Rad. Design
For Enhanced Rigidity




Product Order Number	d1	d2	A	l1	SPECIAL
984Z-CAT50-1/4-A5.12	1/4	.83	5.12	4.37	375.46
984Z-CAT50-1/4-A6.30			6.30	5.55	409.16
984Z-CAT50-1/4-A7.87			7.87	7.12	458.33
984Z-CAT50-5/16-A5.12			5.12	4.37	375.46
984Z-CAT50-5/16-A6.30	5/16	.83	6.30	5.55	409.16
984Z-CAT50-5/16-A7.87			7.87	7.12	458.33
984Z-CAT50-3/8-A5.12			5.12	4.37	375.46
984Z-CAT50-3/8-A6.30	3/8	.94	6.30	5.55	409.16
984Z-CAT50-3/8-A7.87			7.87	7.12	458.33
984Z-CAT50-7/16-A5.12			5.12	4.37	375.46
984Z-CAT50-1/2-A5.12	1/2	.94	5.12	4.37	375.46
984Z-CAT50-1/2-A6.30			6.30	5.55	409.16
984Z-CAT50-1/2-A7.87			7.87	7.12	458.33
984Z-CAT50-5/8-A5.12	5/8	1.06	5.12	4.37	375.46
984Z-CAT50-5/8-A6.30			6.30	5.55	409.16
984Z-CAT50-5/8-A7.87			7.87	7.12	458.33
984Z-CAT50-3/4-A5.12	3/4	1.30	5.12	4.37	375.46
984Z-CAT50-3/4-A6.30			6.30	5.55	409.16
984Z-CAT50-3/4-A7.87			7.87	7.12	458.33
984Z-CAT50-1-A5.12	1	1.73	5.12	4.37	375.46
984Z-CAT50-1-A6.30			6.30	5.55	409.16
984Z-CAT50-1-A7.87			7.87	7.12	458.33
984Z-CAT50-1.1/4-A5.12	1.1/4	1.73	5.12	4.37	375.46
984Z-CAT50-1.1/4-A6.30			6.30	5.55	409.16
984Z-CAT50-1.1/4-A7.87			7.87	7.12	458.33

CAT50 ShrinkFit INCH

Series- 945Z

CAT50 ShrinkFit Chuck
Slim Execution 3°




Product Order Number	d1	d2	A	l1	SPECIAL
945Z-CAT50-1/8-5.91	1/8	.43	6.66	5.91	566.23
945Z-CAT50-1/4-3.94	1/4	.59	4.69	3.94	403.89
945Z-CAT50-1/4-5.91			6.66	5.91	465.35
945Z-CAT50-1/4-7.87			8.62	7.87	535.60
945Z-CAT50-5/16-3.94	5/16	.67	4.69	3.94	403.89
945Z-CAT50-5/16-5.91			6.66	5.91	465.35
945Z-CAT50-5/16-7.87			8.62	7.87	535.60
945Z-CAT50-3/8-3.94	3/8	.75	4.69	3.94	403.89
945Z-CAT50-3/8-5.91			6.66	5.91	465.35
945Z-CAT50-3/8-7.87			8.62	7.87	535.60
945Z-CAT50-1/2-3.94	1/2	.87	4.69	3.94	403.89
945Z-CAT50-1/2-5.91			6.66	5.91	465.35
945Z-CAT50-1/2-7.87			8.62	7.87	535.60

CAT50 ShrinkFit METRIC

Series- 985

CAT50 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adj. Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985-CAT5006A80	6	21	80	60.9	327.50
985-CAT5006A120			120	100.9	356.48
985-CAT5008A80	8	21	80	60.9	327.50
985-CAT5008A120			120	100.9	356.48
985-CAT5010A80	10	24	80	60.9	327.50
985-CAT5010A120			120	100.9	356.48
985-CAT5012A80	12	24	80	60.9	327.50
985-CAT5012A120			120	100.9	356.48
985-CAT5016A80	16	27	80	60.9	327.50
985-CAT5016A120			120	100.9	356.48
985-CAT5020A80	20	33	80	60.9	327.50
985-CAT5020A120			120	100.9	356.48
985-CAT5025A100	25	44	100	80.9	338.92
985-CAT5025A120			120	100.9	356.48
985-CAT5032A100	32	44	100	80.9	338.92
985-CAT5032A120			120	100.9	356.48

16 Metric and 67 Inch CAT50
ShrinkFit Tools Available

BT40 ShrinkFit INCH

Series- 995Z

BT40 ShrinkFit Chuck
Standard Execution 4.5°
w/Closable Cooling Jets
w/Length Adj. Screw




Product Order Number	d1	d2	A	l1	SPECIAL
995Z-BT40-1/4-A3.54	1/4	.83	3.54	2.48	252.48
995Z-BT40-1/4-A5.12			5.12	4.06	288.40
995Z-BT40-5/16-A3.54	5/16	.83	3.54	2.48	252.48
995Z-BT40-5/16-A5.12			5.12	4.06	288.40
995Z-BT40-3/8-A3.54	3/8	.94	3.54	2.48	252.48
995Z-BT40-3/8-A5.12			5.12	4.06	288.40
995Z-BT40-1/2-A3.54	1/2	.94	3.54	2.48	252.48
995Z-BT40-1/2-A5.12			5.12	4.06	288.40
995Z-BT40-5/8-A3.54	5/8	1.06	3.54	2.48	252.48
995Z-BT40-5/8-A5.12			5.12	4.06	288.40
995Z-BT40-3/4-A3.54	3/4	1.30	3.54	2.48	252.48
995Z-BT40-3/4-A5.12			5.12	4.06	288.40

BT40 ShrinkFit INCH

Series- 945Z

BT40 ShrinkFit Chuck
Slim Execution 3°




Product Order Number	d1	d2	A	l1	SPECIAL
945Z-BT40-1/8-2.95	1/8	.43	4.02	2.95	244.44
945Z-BT40-1/8-3.94			5.00	3.94	262.76
945Z-BT40-3/16-2.95	3/16	.51	4.02	2.95	244.44
945Z-BT40-3/16-3.94			5.00	3.94	262.76
945Z-BT40-1/4-2.95	1/4	.59	4.02	2.95	211.00
945Z-BT40-1/4-3.94			5.00	3.94	229.31
945Z-BT40-1/4-5.91	1/4	.59	6.97	5.91	317.69
945Z-BT40-5/16-2.95			4.02	2.95	211.00
945Z-BT40-5/16-3.94	5/16	.67	5.00	3.94	229.31
945Z-BT40-5/16-5.91			6.97	5.91	317.69
945Z-BT40-3/8-2.95	3/8	.75	4.02	2.95	211.00
945Z-BT40-3/8-3.94			5.00	3.94	229.31
945Z-BT40-3/8-5.91	3/8	.75	6.97	5.91	317.69

BT40 ShrinkFit INCH

Series- 985Z

BT40 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adj. Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985Z-BT40-1/8-A3.15	1/8	.43	3.15	2.09	244.12
985Z-BT40-3/16-A3.15	3/16	.55	3.15	2.09	244.12
985Z-BT40-1/4-A3.54	1/4	.83	3.54	2.48	202.32
985Z-BT40-1/4-A5.12			5.12	4.06	223.74
985Z-BT40-5/16-A3.54	5/16	.83	3.54	2.48	202.32
985Z-BT40-5/16-A5.12			5.12	4.06	223.74
985Z-BT40-3/8-A3.54	3/8	.94	3.54	2.48	202.32
985Z-BT40-3/8-A5.12			5.12	4.06	223.74
985Z-BT40-1/2-A3.54	1/2	.94	3.54	2.48	202.32
985Z-BT40-1/2-A5.12			5.12	4.06	223.74
985Z-BT40-5/8-A3.54	5/8	1.06	3.54	2.48	202.32
985Z-BT40-5/8-A5.12			5.12	4.06	223.74
985Z-BT40-3/4-A3.54	3/4	1.30	3.54	2.48	202.32
985Z-BT40-3/4-A5.12			5.12	4.06	223.74
985Z-BT40-1-A3.94	1	1.73	3.94	2.87	214.02
985Z-BT40-1-A5.12			5.12	4.06	223.74
985Z-BT40-1.1/4-A3.94	1.1/4	1.73	3.94	2.87	214.02
985Z-BT40-1.1/4-A5.12			5.12	4.06	223.74

BT40 ShrinkFit METRIC

Series- 915

BT40 ShrinkFit Chuck
Slim Execution 3°



Product Order Number	d1	d2	A	l1	SPECIAL
915-BT400350	3	11.00	77	50	225.73
915-BT400375			102	75	242.45
915-BT4003100			127	100	259.17
915-BT4003150			177	150	367.85
915-BT4003200	4	11.00	227	200	434.73
915-BT400450			77	50	225.73
915-BT400475			102	75	242.45
915-BT4004100			127	100	259.17

BT40 ShrinkFit METRIC

Series- 915
...continued


BT40 ShrinkFit Chuck
Slim Execution 3°

Product Order Number	d1	d2	A	l1	SPECIAL
915-BT4004150	4	11.00	177	150	367.85
915-BT4004200			227	200	434.73
915-BT400550	5	13.00	77	50	225.73
915-BT400575			102	75	242.45
915-BT4005100			127	100	259.17
915-BT400650	6	15.00	77	50	190.61
915-BT400675			102	75	198.98
915-BT4006100			127	100	210.68
915-BT4006150	8	17.00	177	150	317.69
915-BT4006200			227	200	401.30
915-BT400850			77	50	190.61
915-BT400875	8	17.00	102	75	198.98
915-BT4008100			127	100	210.68
915-BT4008150			177	150	317.69
915-BT4008200			227	200	401.30
915-BT401050	10	19.00	77	50	190.61
915-BT401075			102	75	198.98
915-BT4010100			127	100	210.68
915-BT4010150			177	150	317.69
915-BT4010200	12	22.00	227	200	401.30
915-BT401250			77	50	190.61
915-BT401275			102	75	198.98
915-BT4012100	12	22.00	127	100	210.68
915-BT4012150			177	150	317.69
915-BT4012200			227	200	401.30
915-BT401450	14	24.00	77	50	200.65
915-BT401475			102	75	209.00
915-BT4014100			127	100	225.73
915-BT4014150			177	150	334.41
915-BT401650	16	27.00	77	50	190.61
915-BT401660			87	60	198.98
915-BT401675			102	75	198.98
915-BT4016100			127	100	210.68
915-BT4016150	18	30.00	177	150	317.69
915-BT401850			77	50	200.65
915-BT4018100			127	100	225.73
915-BT402050	20	33.00	77	50	198.98
915-BT4020100			127	100	210.68
915-BT4020150			177	150	317.69
915-BT402560	25	44.00	87	60	210.68
915-BT4025100			127	100	210.68

BT40 ShrinkFit METRIC

Series- 925

BT40 ShrinkFit Chuck
Extra Slim Execution 3°




Product Order Number	d1	d2	A	l1	SPECIAL
925-BT400375	3	7.00	102	75	259.17
925-BT4003100			127	100	275.89
925-BT400475	4	8.00	102	75	259.17
925-BT4004100			127	100	275.89
925-BT4004150			177	150	384.57
925-BT400650	6	10.00	77	50	207.34
925-BT400675			102	75	215.69
925-BT4006100			127	100	227.40
925-BT4006150			177	150	334.41
925-BT4006200	8	12.00	227	200	418.01
925-BT400850			77	50	207.34
925-BT400875			102	75	215.69
925-BT4008100			127	100	227.40
925-BT4008150			177	150	334.41
925-BT4008200	10	14.00	227	200	418.01
925-BT401050			77	50	207.34
925-BT401075			102	75	215.69
925-BT4010100			127	100	227.40
925-BT4010150	12	16.00	177	150	334.41
925-BT4010200			227	200	418.01
925-BT401250			77	50	207.34
925-BT401275	16	22.00	102	75	215.69
925-BT4012100			127	100	227.40
925-BT4012150			177	150	334.41
925-BT4012200			227	200	418.01
925-BT401675			102	75	215.69

BT40 ShrinkFit METRIC

Series- 985

BT40 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adj. Screw




Product Order Number	d1	d2	A	l1	SPECIAL
985-BT4003A80	3	11.00	80	53	244.12
985-BT4004A80	4	14.00	80	53	244.12
985-BT4005A80	5	16.00	80	53	244.12
985-BT4006A90	6	21.00	90	63	202.32
985-BT4006A120			120	93	234.09
985-BT4006A160	8	21.00	160	133	270.87
985-BT4008A90			90	63	202.32
985-BT4008A120	10	24.00	120	93	234.09
985-BT4008A160			160	133	270.87
985-BT4010A90	12	24.00	90	63	202.32
985-BT4010A120			120	93	234.09
985-BT4010A160	14	27.00	160	133	270.87
985-BT4012A90			90	63	202.32
985-BT4012A120	16	27.00	120	93	234.09
985-BT4012A160			160	133	270.87
985-BT4014A90	18	33.00	90	63	202.32
985-BT4014A120			120	93	234.09
985-BT4016A90	20	33.00	90	63	202.32
985-BT4016A120			120	93	234.09
985-BT4016A160	25	44.00	160	133	270.87
985-BT4018A90			90	63	202.32
985-BT4018A120	32	44.00	120	93	234.09
985-BT4020A90			90	63	202.32
985-BT4020A120			120	93	234.09
985-BT4020A160			160	133	270.87
985-BT4025A100			100	73	214.02
985-BT4025A160			160	133	270.87
985-BT4032A100			100	73	214.02
985-BT4032A160			160	133	270.87

BT40 ShrinkFit METRIC

Series- 995

BT40 ShrinkFit Chuck
Standard Execution 4.5°
w/Closable Cooling Jets
w/Length Adj. Screw




Product Order Number	d1	d2	A	l1	SPECIAL
995-BT4006A90	6	21.00	90	63	252.48
995-BT4006A120			120	93	284.25
995-BT4006A160	8	21.00	160	133	351.13
995-BT4008A90			90	63	252.48
995-BT4008A120	10	24.00	120	93	284.25
995-BT4008A160			160	133	351.13
995-BT4010A90	12	24.00	90	63	252.48
995-BT4010A120			120	93	284.25
995-BT4010A160	14	27.00	160	133	351.13
995-BT4012A90			90	63	252.48
995-BT4012A120	16	27.00	120	93	284.25
995-BT4012A160			160	133	351.13
995-BT4014A90	20	33.00	90	63	252.48
995-BT4016A90			120	93	284.25
995-BT4016A120	25	44.00	160	133	351.13
995-BT4020A90			90	63	252.48
995-BT4020A120			120	93	284.25
995-BT4025A100			100	73	284.25

BT30 & BT40 tools also available
in Metric with Face Contact

HSK-F80 Makino MAG INCH

Rineck now offers the HSK-F80 Makino style holder with pins for the Makino MAG machining centres designed for high Productivity machining of Aluminum in the Aerospace Industry. These are now offered in all standard sizes and lengths, inch & metric.

Series- 985Z




HSK-F80 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw
w/pins for MAKINO MAG

Product Order Number	d1	d2	A	l1	SPECIAL
985Z-F80M-1/4-A3.00	1/4	.83	3.00	1.98	352.79
985Z-F80M-5/16-A3.00	5/16	.83	3.00	1.98	352.79
985Z-F80M-3/8-A3.00	3/8	1.00	3.00	1.98	352.79
985Z-F80M-7/16-A3.00	7/16	1.02	3.00	1.98	352.79
985Z-F80M-1/2-A3.00	1/2	1.02	3.00	1.98	352.79
985Z-F80M-1/2-A6.00			6.00	4.98	488.01
985Z-F80M-5/8-A3.00	5/8	1.14	3.00	1.98	352.79
985Z-F80M-3/4-A2.75	3/4	1.38	2.75	1.73	352.79
985Z-F80M-3/4-A3.00			3.00	1.98	352.79
985Z-F80M-3/4-A4.00			4.00	2.98	375.99
985Z-F80M-1-A2.75	1	1.81	2.75	1.73	352.79
985Z-F80M-1-A3.00			3.00	1.98	352.79
985Z-F80M-1-A6.30			6.30	5.28	488.01
985Z-F80M-1.1/4-A3.50			1.1/4	1.77	358.40

HSK-F80 Makino MAG METRIC

Series- 985




HSK-F80 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw
w/pins for MAKINO MAG

Product Order Number	d1	d2	A	l1	SPECIAL
985-F80M06A76.2	6	21.0	76.20	50.2	352.79
985-F80M06A82.55			82.55	56.55	369.59
985-F80M08A76.2	8	21.0	76.20	50.2	352.79
985-F80M10A76.2	10	26.0	76.20	50.2	352.79
985-F80M10A82.55			82.55	56.55	369.59
985-F80M12A76.2	12	26.0	76.20	50.2	352.79
985-F80M14A76.2	14	29.0	76.20	50.2	352.79
985-F80M16A76.2	16	29.0	76.20	50.2	352.79
985-F80M16A82.55			82.55	56.55	369.59
985-F80M20A70	20	35.5	70.00	44	352.79
985-F80M20A76.2			76.20	50.2	352.79
985-F80M25A70	25	46.0	70.00	44	352.79
985-F80M25A76.2			76.20	50.2	352.79

PSC50 ShrinkFit INCH

Series- 985Z




PSC-50 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw

Product Order Number	d1	d2	A	l1	SPECIAL
985Z-PSC50-1/8-A2.95	1/8	.43	2.95	2.17	412.07
985Z-PSC50-3/16-A2.95	3/16	.55	2.95	2.17	412.07
985Z-PSC50-1/4-A2.95	1/4	.83	2.95	2.17	370.56
985Z-PSC50-5/16-A2.95	5/16	.83	2.95	2.17	370.56
985Z-PSC50-3/8-A2.95	3/8	.94	2.95	2.17	370.56
985Z-PSC50-1/2-A2.95	1/2	.94	2.95	2.17	370.56
985Z-PSC50-5/8-A3.15	5/8	1.06	3.15	2.36	370.56
985Z-PSC50-3/4-A3.15	3/4	1.06	3.15	2.36	370.56

PSC63 ShrinkFit INCH

Series- 985Z



PSC-63 ShrinkFit Chuck
Standard Execution 4.5°
w/Length Adjusting Screw

Product Order Number	d1	d2	A	l1	SPECIAL
985Z-PSC63-1/8-A3.15	1/8	.43	3.15	2.28	405.77
985Z-PSC63-3/16-A3.15	3/16	.55	3.15	2.28	405.77
985Z-PSC63-1/4-A3.15	1/4	.83	3.15	2.28	347.81
985Z-PSC63-1/4-A4.72			4.72	3.86	422.33
985Z-PSC63-5/16-A3.15	5/16	.83	3.15	2.28	347.81
985Z-PSC63-5/16-A4.72			4.72	3.86	422.33
985Z-PSC63-3/8-A3.15	3/8	.94	3.15	2.28	347.81
985Z-PSC63-3/8-A4.72			4.72	3.86	422.33
985Z-PSC63-1/2-A3.15	1/2	.94	3.15	2.28	347.81
985Z-PSC63-1/2-A4.72			4.72	3.86	422.33
985Z-PSC63-5/8-A3.35	5/8	1.06	3.35	2.48	347.81
985Z-PSC63-5/8-A4.72			4.72	3.86	422.33
985Z-PSC63-3/4-A3.35	3/4	1.30	3.35	2.48	347.81
985Z-PSC63-3/4-A4.72			4.72	3.86	422.33
985Z-PSC63-1-A3.54	1	1.73	3.54	2.68	364.37
985Z-PSC63-1.1/4-A3.74	1.1/4	1.73	3.74	2.87	372.65

Special Pricing Valid Until Nov. 28th 2025

TYSON TOOL®

75 Ormont Drive, Toronto, ON. M9L 2S3
Tel: 416.746.3688 • Fax: 416.746.5415
sales@tysonstool.com • www.tysonstool.com

Available From:

Specifications are subject to change without notice. No responsibility for errors and/or printing errors will be accepted.